

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20020060911".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/18 09:06
L2	4	("2002/0060911").URPN.	USPAT	OR	ON	2006/07/18 09:07
L3	1	"4210955".pn.	USPAT	OR	ON	2006/07/18 09:07
L4	22	("2076240" "2623934" "2950382" "3116022" "3307028" "3571588" "3639751").PN. OR ("4210955").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/18 10:14
L5	4	L4 and friction	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/18 10:33
L6	313	362/281.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/18 10:37
L7	431	362/283.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/18 10:37
L8	681	362/284.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/18 10:37
L9	304	362/321.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/18 10:39
L10	516	362/322.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/18 10:40
L11	178	362/323.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/18 12:57
L12	0	((housing) and ((light or illumination or lamp) near (source)) and (shutters) and (tilt\$3) and (adjust\$4) and ((lock or locking) near (plates))).clm.	US-PGPUB	OR	ON	2006/07/18 12:59
L13	4	(housing) and (shutters) and (friction) and ((lock\$3) near plates) and (lamp or light)	US-PGPUB	OR	ON	2006/07/18 13:00
L14	0	((housing) and (shutters) and (friction) and ((lock\$3) near plates) and (lamp or light)).clm.	US-PGPUB	OR	ON	2006/07/18 13:01
L15	4	(housing) and (shutter\$1) and (friction) and ((lock\$3) near plates) and (lamp or light)	US-PGPUB	OR	ON	2006/07/18 13:01

EAST Search History

L16	0	((housing) and (shutter\$1) and (friction) and ((lock\$3) near plates) and (lamp or light)).clm.	US-PGPUB	OR	ON	2006/07/18 13:01
L17	0	((housing) and (shutter\$1) and (friction) and (lock\$3) and (lamp or light)).clm.	US-PGPUB	OR	ON	2006/07/18 13:01
L18	0	((shutter\$1) and (friction) and (lock\$3) and (lamp or light)).clm.	US-PGPUB	OR	ON	2006/07/18 13:01
L19	7	((shutter\$1) and (friction) and (lock\$3)).clm.	US-PGPUB	OR	ON	2006/07/18 13:01
S1	416	shutter adj lock	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/07/18 09:06
S2	672	362/284.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/14 14:34
S3	2445	stage adj light	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/14 14:07
S4	931	specialized and lighting and fixture	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/14 14:34
S5	2	specialized adj lighting adj fixture	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/14 14:35
S6	0	plurality adj of adj framing adj shutters	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/14 14:35
S7	42	framing adj shutters	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/14 14:37
S8	15217	locking adj plates	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/14 14:38
S9	25907	locking adj element	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/14 14:39

EAST Search History

S10	28	framing adj projector	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/14 15:07
S11	786	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/14 15:08
S12	0	S8 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/14 15:08
S13	2	S9 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/14 15:08
S14	294	362/321.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:10
S15	507	362/322.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:10
S16	175	362/323.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:10
S17	314	362/281.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:10
S18	439	362/283.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:10
S19	1599	S14 S15 S16 S17 S18	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:10
S20	853991	(shutter) (barn door) (iris)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:11
S21	325	S19 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:11

EAST Search History

S22	1	"20020060911".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 08:37
S23	1436392	screws	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 08:37
S24	0	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 08:37
S25	5852627	bar brad catch coupling dowel fastener key lag latch lock nut padlock peg pin pipe rivet rod screw skewer (sliding adj bar) spike stake staple stud	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 08:38
S26	1	S22 and "4"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 08:39
S27	1	S22 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 08:39
S28	300	362/321.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/06 12:10
S29	13	S28 and lock	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/06 15:32
S32	428	362/324.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/07 10:16
S33	1	"20020060911".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/24 15:44
S34	679	362/284.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/24 15:45
S35	317	362/281.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/24 15:45

EAST Search History

S36	445	362/283.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/24 15:46
S37	302	362/321.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/24 15:46
S38	513	362/322.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/24 15:47
S39	176	362/323.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/24 15:57
S40	1	"5289350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/24 15:46
S41	0	((housing) ((light or illumination or lamp) near (source)) (shutters) (tilt\$3) (adjust\$4) ((lock or locking) near plates)).clm.	US-PGPUB	AND	ON	2006/01/24 16:03
S42	0	((housing) ((light or illumination or lamp) with (source)) (shutters) (tilt\$3) (adjust\$4) ((lock or locking) with plates)).clm.	US-PGPUB	AND	ON	2006/01/24 16:03
S43	0	((housing) (light or illumination or lamp) (shutters) (tilt\$3) (adjust\$4) ((lock or locking) with plates)).clm.	US-PGPUB	AND	ON	2006/01/24 16:03
S44	0	((housing) (light or illumination or lamp) (shutters) (tilt\$3) (adjust\$4) ((lock or locking) near plates)).clm.	US-PGPUB	AND	ON	2006/01/24 16:03
S45	82565	communication and transmitting and module	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:48
S46	3	communication adj transmitting adj module	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:49
S47	525	362/555.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:51

EAST Search History

S48	0	recess and bevel and (rigid near (light near pipe)) and hole and protrusion and LEDs	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:52
S49	0	recess and bevel and (light near pipe) and hole and protrusion and LEDs	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:52
S50	0	recess and bevel and (light near pipe) and hole and protrusion and LEDs	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:52
S51	0	recess and bevel and (light near pipe) and protrusion and LEDs	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:52
S52	123	recess and (light near pipe) and protrusion and LEDs	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:53
S53	0	S47 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:52
S54	3223	(light near pipe) and LEDs	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:53
S55	76	S47 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:53
S56	16	S55 and rigid	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:56
S57	1646	((L near shaped) or (L) or (bent)) and (light near pipe) and (LED)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:57
S58	233	S57 and ("362"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 08:59

EAST Search History

S59	214	S58 and (rigid exact firm fixed hard harsh incompressible inelastic inexorable inflexible intransigent invariable obdurate rigorous set severe solid static stern strict stringent unalterable unbending unbreakable unchanging uncompromising undeviating unmoving unpermissive unrelenting unyielding)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 09:02
S60	201	S58 and (rigid exact firm fixed hard harsh incompressible inelastic inexorable inflexible intransigent invariable obdurate rigorous severe solid static stern strict stringent unalterable unbending unbreakable unchanging uncompromising undeviating unmoving unpermissive unrelenting unyielding)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 09:18
S61	2479	RJ adj "45"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 09:18
S62	135	S61 and (light near (pipe or guide))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 09:19
S63	117	S62 and (LED or (light adj emitting adj diode) or (light adj emitting adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 09:22
S64	1	"20060009061".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 09:33
S65	1	"20030135681".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/01 09:33

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	0	((housing) and (shutter\$1) and (friction) and ((lock\$3) near plates) and (lamp or light)).clm.	US-PGPUB	OR	ON	2006/07/18 13:01
L17	0	((housing) and (shutter\$1) and (friction) and (lock\$3) and (lamp or light)).clm.	US-PGPUB	OR	ON	2006/07/18 13:01
L18	0	((shutter\$1) and (friction) and (lock\$3) and (lamp or light)).clm.	US-PGPUB	OR	ON	2006/07/18 13:01
L19	7	((shutter\$1) and (friction) and (lock\$3)).clm.	US-PGPUB	OR	ON	2006/07/18 13:01